

01-03-00

A

Express Mail Label: EL278372226US

Please type a plus sign (+) inside this box → ☒

Approved for use through 09/30/2000 OMB 0651-0032
 Patent and Trademark Office U.S. DEPARTMENT OF COMMERCE
 Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UTILITY PATENT APPLICATION TRANSMITTAL <small>(Only for new nonprovisional applications under 37 C.F.R. § 1.53(b))</small>	Attorney Docket No.	RCA 89,893
	First Inventor or Application Identifier	Lynch
	Title	Ratings control system with...
	Express Mail Label No.	EL278372226US

APPLICATION ELEMENTS <small>See MPEP chapter 600 concerning utility patent application contents</small>		ADDRESS TO: Assistant Commissioner for Patents Box Patent Application Washington, DC 20231	
1. <input checked="" type="checkbox"/> Fee Transmittal Form (e.g., PTO/SB/17) <small>(Submit an original and a duplicate for fee processing)</small>	5. <input type="checkbox"/> Microfiche Computer Program (Appendix)	09/475449 12/30/99	
2. <input checked="" type="checkbox"/> Specification <small>[Total Pages 11]</small> <small>(preferred arrangement set forth below)</small> <ul style="list-style-type: none"> - Descriptive title of the invention - Cross References to Related Applications - Statement Regarding Fed sponsored R & D - Reference to Microfiche Appendix - Background of the invention - Brief Summary of the invention - Brief Description of the Drawings (if filed) - Detailed Description - Claim(s) - Abstract of the Disclosure 	6. Nucleotide and/or Amino Acid Sequence Submission <small>(if applicable, all necessary)</small> <ul style="list-style-type: none"> a. <input type="checkbox"/> Computer Readable Copy b. <input type="checkbox"/> Paper Copy (identical to computer copy) c. <input type="checkbox"/> Statement verifying identity of above copies 		
3. <input checked="" type="checkbox"/> Drawing(s) (35 U.S.C. 113) <small>[Total Sheets 4]</small>	7. <input type="checkbox"/> Assignment Papers (cover sheet & document(s))		
4. Oath or Declaration <small>[Total Pages]</small> <ul style="list-style-type: none"> a. <input type="checkbox"/> Newly executed (original or copy) b. <input type="checkbox"/> Copy from a prior application (37 C.F.R. § 1.63(d)) <small>(for continuation/divisional with Box 16 completed)</small> <ul style="list-style-type: none"> i. <input type="checkbox"/> DELETION OF INVENTOR(S) Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b). 	8. <input type="checkbox"/> 37 C.F.R. § 3.73(b) Statement <input type="checkbox"/> Power of Attorney <small>(when there is an assignee)</small>		
	9. <input type="checkbox"/> English Translation Document (if applicable)		
	10. <input type="checkbox"/> Information Disclosure Statement (IDS)/PTO-1449 <input type="checkbox"/> Copies of IDS Citations		
	11. <input type="checkbox"/> Preliminary Amendment		
	12. <input checked="" type="checkbox"/> Return Receipt Postcard (MPEP 503) <small>(Should be specifically itemized)</small>		
	13. <input type="checkbox"/> Small Entity Statement(s) <input type="checkbox"/> Statement filed in prior application <small>(PTO/SB/09-12) Status still proper and desired</small>		
	14. <input type="checkbox"/> Certified Copy of Priority Document(s) <small>(if foreign priority is claimed)</small>		
	15. <input type="checkbox"/> Other: _____		

16. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No: _____

Prior application information: Examiner _____ Group / Art Unit: _____

For CONTINUATION or DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 4b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.

17. CORRESPONDENCE ADDRESS

☐ Customer Number or Bar Code Label (Insert Customer No. or Attach bar code label here) or ☒ Correspondence address below

Name	Joseph S. Tripoli				
	Thomson Multimedia Licensing Inc.				
Address	PO Box 5312				
City	Princeton	State	NJ	Zip Code	08543-5312
Country	USA	Telephone	609-734-9443	Fax	609-734-9700

Name (Print/Type)	Robert D. Shedd	Registration No. (Attorney/Agent)	36,269
Signature	<i>Robert D. Shedd</i>	Date	12/30/99

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

RATINGS CONTROL SYSTEM WITH TEMPORARY OVERRIDE CAPABILITY AND STORE-RECALL FEATURE

BACKGROUND

5 This invention relates to systems for blocking viewing or recording of television programs which exceed a ratings, spending limit, time restriction, or other viewing limitation set by a supervisor.

Video signal processing systems such as television tuners contained in television sets, video cassette recorders, or cable boxes which are suitable for coupling to a display
10 device such as a picture tube and which contain circuitry and software designed to prevent viewing of programs containing ratings information below a level set by a supervisor, exceeding view time limits, and/or, in the case of pay-per-view systems, exceeding spending limits, are very well known. Such systems comprise a programmed processor which allows the supervisor with a password, usually a parent, to set limits which cause
15 programs outside one or more of ratings, view time, or spending limits to be blocked and not viewable by the supervised person or group.

Ratings control is generally implemented by device or system that allows a supervisor to specify a rating limit, such as PG-13, and the processor in the television receiver containing a "stripper" (i.e., decoder) can "slice" (i.e., extract) auxiliary
20 information from a program signal (e.g., Extended Data Services (XDS) data in the vertical blanking interval (VBI) of an NTSC television signal in the United States or PSIP data in an ATSC television signal) and decode the information to determine the content and rating of television programs and scenes and can compare the content and rating to the limits set by the supervisor. Spending control is generally implemented by the processor comparing
25 the cost of a pay-per-view broadcast to a spending limit set by the supervisor. The processor within the receiver utilizes a "stripper" which functions to slice, or extract, ratings information and spending information contained in the television signal for most broadcast programs and channels. The processor is designed to blank the screen and mute the audio portion of the broadcast for programs outside the limits set by the supervisor. For
30 television receivers which also have multi-image display capability (e.g., for displaying a main image representing one program and an auxiliary image representing a second

An aspect of the invention involves recognizing that a control system providing an override feature would be more useful if the control system had capability to store completed or expired overrides and to recall them later.

Another aspect of the present invention comprises providing a video signal processing system such as a television receiver, cable box, or VCR tuner for producing an output signal suitable for coupling to a display device to produce a displayed image, the video processing system having a supervisor control system which blocks viewing of programs which are received with embedded ratings information or spending information which is outside a range selected by a supervisor, which permits the supervisor to temporarily modify a profile to enter a temporarily revised range or permit specific programs to be viewed, and which is capable of storing overrides in the system memory for later recall. As with the Override Invention, at the end of the temporary override period or completion of the specific programs permitted by the override, the system automatically restores the normal ratings, spending, and/or view time limits for the selected profile(s). However, according to this invention, the completed overrides are stored in system memory and are displayed in an on-screen list when the supervisor enters the viewer control routine.

The supervisor generally enters the viewer control routine by selecting an option from an on-screen menu with a remote control device, and responds successfully to an on-screen password challenge presented by the system. The user interface would then display the current control levels, such as ratings, view time, spending limits, and the like, and would display an option to override any of the current control levels. When the override option is selected by the supervisor, the supervisor can enter the override routine by selecting the override option.

Once the override routine is entered, the supervisor can choose to temporarily override the normal limits which had been previously stored in system memory, as with the Override Invention. Once an override is entered, it is preferably displayed on a list of active overrides. The override is shown on-screen as active until the time period is complete. The time period for the override is set by the supervisor, or is derived by the processor from the time a particular program is scheduled to be broadcast.

After the end of the time period, the system restores the normal limits and, according to the present invention, retains the override information in system memory for

display and possible reuse by the supervisor. When the supervisor next enters the override routine, the stored completed override may be chosen by the supervisor in the event that the supervisor wants to repeat or reinstitute the same set of override parameters as was created in the past, or to base a new set of override parameters on a set which was used in the past and is listed on the display.

The storage of the override information may be either automatic or optional. In the optional embodiment, the supervisor may be given an option to name the set of override parameters, for example, "good behavior." In the automatic embodiment, the system saves each set of override parameters and displays them, or the most recently used ones, in a list when the supervisor enters the override menu.

As with the Override Invention, children and others who do not have the supervisory password can not change the profiles or temporarily override blocking and the supervisor who has entered the password accepted by the control system can enter (A) one or more specific broadcast programs to be unblocked, (B) one or more channels to be unblocked for one or more specific time periods, (C) a revised ratings profile for a specific time period, (D) a revised spending , and/or (E) a revised view time limit.

The present invention also comprises a method for blocking viewing or recording of television programs which are broadcast with ratings information or spending information which is outside a range selected by a supervisor comprising (A) receiving ratings, spending, and/or viewing time limits from a supervisor, (B) receiving one or more overrides from a supervisor which specify one or more permitted television programs, one or more permitted channels to be unblocked for one or more specific time periods, a revised ratings range for one or more specific time periods, and/or a modified viewing time limit, (C) blocking or permitting viewing or recording programs according to the limits and the overrides, and (D) storing overrides for use at a future time.

In another aspect, the invention comprises a ratings control system comprising means for a supervisor to override a ratings limit, spending limit, and/or viewing time limit, and means to store override information for future use.

Another aspect is a processor which normally blocks viewing of programs or recordings outside a viewer profile entered by a supervisor, which permits or denies viewing of programs according to temporary override(s) entered by the supervisor, and

which returns to normal blocking profile after expiration of a time period set by the supervisor, or by removal of the override(s) by the supervisor, or after completion of the programs or recordings permitted in the temporary override(s) instructions, and which stores and recalls the override instructions for future use.

5

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 shows, in block diagram form, a preferred system of the Override Invention disclosed in the copending patent application bearing Attorney Docket Number RCA 89385.

10 FIG. 2 shows an embodiment of an override list screen which can be displayed by the system of the invention

FIG. 3 shows, in block diagram form, an embodiment of the override list store logic of the system of the invention.

15 FIG. 4 shows, in block diagram form, an embodiment of the override recall logic of the system of the invention.

DETAILED DESCRIPTION OF THE INVENTION

20 The invention will be illustrated with respect to a preferred embodiment of the invention, but the invention should not be construed as limited thereto. For example, a television receiver will be illustrated, but the invention is also applicable to other types of video processing systems such as those with display devices such as television sets, and those without display devices such as direct broadcast satellite (DBS) signal receivers and video recorders (e.g., VCRs). In general, the invention applies to any system, apparatus, or device which employs ratings control, spending limits, view time limits and/or other
25 criteria to permit or deny access to video or audio broadcasts or recordings.

As shown in the block diagram in FIG. 1, the standard viewable test 11 is run by the processor to determine initially if the program is viewable 12. The processor receives both current event information 13 and the current user's rating profile 14 which has previously

been entered by the supervisor who has the password. In a first example, the supervisor of the system who has the password wants to allow a certain program to be viewed by the child but the program's rating is above the allowed limit. The supervisor selects override and is challenged to enter the correct password to enter an override in the override list 16.

- 5 The supervisor identifies the program, the start and stop time, and the profile in cases where the system allows alternative profiles.

The system displays a screen which calls for:

- 10 1) Program Identifier (for instance channel);
2) Start and Stop Time; and
3) Profile

- When the television is tuned to a channel at the time the program is being broadcast and the system is set to the child's profile, the Standard determination based upon the program's rating and the child's profile rating limit occurs to determine if a program is viewable; in this example it is NOT 17 viewable. At this point according to the invention, the override is determined to be active 18 and the override logic is entered, and since the program matches the Program Identifier in the Override List Contents 16 and the system is within the Start and Stop Time for the program event and the current profile is the child profile, the Standard Decision to NOT 17 view this program is overridden 23 and the program is now viewable, i.e., unblocked 19. After the override expires it is removed from the active list and stored in a completed override list 31 (Fig. 3) or its status is changed by the system to "completed" or "expired," for example. Other exemplary scenarios for operation of an override system in accordance with Fig. 1 are set forth in the copending patent application bearing Attorney Docket Number RCA 89385 which discloses the Override Invention.

The present invention, which is an improvement to the Override Invention, provides for efficient recall and reinstitution of overrides.

- 30 Referring now to FIG. 2, the system preferably stores the override in a separate list 26 and displays a list of the currently in force overrides 25 and the most recently used overrides 27, listing by event in the form of a guide as shown in Fig. 2. The storage in the recently used override list could be automatic or non-expired overrides could be manually selected for inclusion in the stored override list. Any number of recently used overrides
35 can be stored and displayed, with ten being a reasonable number to store and display, although greater or lesser numbers of previously used overrides could also be stored. For

systems which require or offer manual selection of overrides for inclusion in the list, events in the guide could be highlighted and an override save button 28 would be pressed. This would enter the program into the override list, subject to modification or updating by the supervisor. For example, if a program at a certain time on a certain date was selected for unblocking, when that program is recalled from the completed override list by highlighting the override in the list and then selecting recall 29. A new date may be required to be entered by the supervisor.

When an override has been programmed, according to one embodiment it could be identified by name and the supervisor can store it in memory for recall later. For instance if on Saturday nights the parent wants to change spending limit to \$10 and movie rating limit to R from normal PG-13, he could bring up the "Good Behavior" override and change the date to this Saturday and press "activate." He could recall this override and activate it when needed.

Different sorting options on the override list could be offered, for example by channel, by date, by profile, etc. For example, when Status 34 is highlighted at the top of the right column in FIG. 2, then the entries can be automatically sorted by the system microprocessor to list Active entries first, Running entries second, and Completed entries third. When an override entry in the list is highlighted then the Override Parameters would be updated based upon the override data stored in the override list.

The items in the Override Parameters List could be highlighted and edited from this screen or a dialog could be brought up based upon which parameter is highlighted, and a detailed editing screen could be displayed. When Ratings are selected, a dialog which includes the content advisory bits such as Violence could be displayed.

Store and Recall would provide a method for storing selected entries of the override list for recall and activation at a later time. For instance, an override to unblock spending for Good Behavior Weekend could be recalled and activated at the appropriate time by the Supervisor. The next weekend the supervisor could recall this named override and re-apply it to the current weekend.

Referring now to FIG. 3, the system microprocessor logic first determines whether an override has been selected 30, and then allows the storage option to be selected by the supervisor, in which case the Override entry is added to a non-volatile file in memory 31, otherwise the logic moves the on-screen display cursor or highlight bar to the next override record and tests 32 as to whether there are further entries in the override list. If there are

none, block 33 returns a Yes and the store logic is exited. If there are additional entries, block 33 returns a No and the logic returns to override selected for storage test 30.

Referring now to FIG. 4, when the supervisor selects Override from the on-screen display, the system logic first prompts 41 the supervisor to enter a previously named
5 override entry stored in non-volatile memory. If such an entry is selected, the microprocessor logic causes the system to prompt the supervisor to edit the override 42, particularly with respect to the new date since the previously used override would have a date parameter which is in the past. The recall logic then moves to block 43 wherein the system tests whether there are any more items in the stored list of completed overrides, and
10 if so, i.e., if the end of the list has not been reached, moves the cursor or highlighting to the next one 44, wherein a new date can be entered and the modified entry can be stored 46 in the current override list, and the cursor or highlighting is moved 47 to the next entry, or the override routine is exited 45 and any new or modified overrides are stored.

As can be seen from this detailed description, this invention is an improvement to
15 the related Override Invention in that it can save the supervisor time and make it more convenient to deal with a sophisticated viewer control system which blocks viewing of programs which exceed limits pertaining to ratings, view time, or spending by making it more convenient to temporarily override the normal limits, and to have access and ability to repeat such overrides when the occasion warrants it. Parents who have children who are
20 able to turn on a television, VCR, digital subscriber line, satellite dish, or any of the many types of entertainment systems which are currently, or in the future will become, available, will find this invention as particularly useful since it is difficult to remember to reset the previously set limits when the parent wishes to view a particular program, or when there are special reasons to make exceptions to the normal blocking profile. This invention will
25 allow the parents to very conveniently make such exceptions, not have to worry about resetting the normal limits after the program is over, and to store the exception or override for easy recall and reuse the next time the special reason occurs again.

While this invention has been illustrated and explained in sufficient detail so that those skilled in this art can readily make and use it, various alternatives, modifications, and
30 improvements which are within the scope and spirit of the invention should become apparent.

CLAIMS

1. A video signal processing system for producing an output signal suitable for coupling to a display device to produce a displayed image, the video processing system
- 5 having a supervisor control system which permits a supervisor to enter ratings, spending, and/or time limits, which permits the supervisor to temporarily modify the limits by entering an override comprising one or more revised ratings, spending, view time limit, or specifically permitted program, which stores recently completed overrides, which stores completed overrides in memory, and which allows stored overrides to be recalled.
- 10 2. System according to claim 1 which displays a list of stored completed overrides and permits the supervisor to create a new temporary override by modification of the selected, previously used override.
3. System according to claim 1 which displays a list of currently active temporary overrides, including the corresponding time periods, and completed overrides.
- 15 4. System to control viewing or recording of television programs according to ratings, spending, and/or viewing time limits defined by a supervisor, wherein the supervisor can elect to temporarily modify the limits according to an override comprising different limits, and wherein the system stores expired overrides and causes them to be displayable for future selection by a supervisor.
- 20 5. System according to claim 4 further wherein the supervisor can name sets of override parameters and select the expired sets of override parameters from a list which includes the names.
6. Method for blocking viewing or recording of television programs which are outside a range selected by a supervisor comprising (A) receiving ratings, spending, and/or view
- 25 time limits from a supervisor, (B) receiving one or more overrides from a supervisor which specify one or more permitted television programs, one or more permitted channels to be unblocked for one or more specific time periods, modified view time limits, or a revised ratings range for one or more specific time periods, and (C) upon expiration of the time period for an override, storing the override for later recall.

8. A microprocessor which is programmed to normally block viewing of programs or recordings outside ratings and/or other limits entered by a supervisor, to permit or block viewing of programs according to temporary override(s) instructions entered by the supervisor, and which stores sets of expired temporary override instructions and displays the sets for reuse by the supervisor.

10. Apparatus according to claim 9 wherein the number is ten.

12. Apparatus according to claim 8 wherein displayed sets of currently active overrides
15 and expired overrides are displayed in a single on-screen display list.

Variable	Mean	SD	Min	Max
Age	35.2	12.5	18	65
Gender	50%	50%	Male	Female
Marital Status	65%	35%	Married	Single
Education	12.5	2.5	9	16
Income	\$35,000	\$15,000	\$10,000	\$70,000
Occupation	30%	70%	Professional	Service
Health Status	75%	25%	Good	Poor
Exercise Frequency	2.5	1.5	0	5
Diet Quality	3.5	1.5	1	5
Stress Level	4.5	1.5	1	5
Sleep Quality	3.5	1.5	1	5
Mental Health	4.5	1.5	1	5
Physical Health	4.5	1.5	1	5
Life Satisfaction	4.5	1.5	1	5
Overall Well-being	4.5	1.5	1	5

ABSTRACT

A video signal processing system for producing an output signal suitable for coupling to a display device to produce a displayed image, the video processing system having a system which blocks viewing of programs which are broadcast with ratings or spending
5 information which is outside a profile set by a supervisor who has entered a password accepted by the control system, and which permits the supervisor to temporarily modify the ratings profile according to a set of override parameters. After completion of the time period(s) or supervisor-designated television broadcast(s), the system automatically returns to the normal ratings profile but retains the set of override parameters for easy reimposition
10 by the supervisor.

660627 6445460




Figure 1:
Program Viewable Logic

Override List Screen

Current Date and Time: 2/1/99 10:05 PM

Channel	System	Program Info	Name	Start Time	Stop Time	Status
101	Sat 1	Sit Com		10:00 am 2/2/99	11:00 am 2/2/99	Active
107	Sat 2	News 2		1:00 PM 2/2/99	2:30 PM 2/2/99	Active
ALL	ALL		Vacation	1:00 PM 4/2/99	2:30 PM 4/2/99	Active
200	Sat 1	Movie XXX		1:00 PM 2/2/99	2:30 PM 2/2/99	Running
200	Sat 1	Movie 2		2:00 PM 2/2/99	4:00 PM 2/2/99	Running
90	Cable	Movie 3		1:15 PM 2/2/99	4:00 PM 2/2/99	Running
10	Cable	Sat. Night Live	Good Behavior Weekend	11:30PM 1/2/99	1:00am 1/3/99	Completed
3	Cable	Dr. Katz	Babysitter	11:00PM 1/3/99	11:30PM 1/3/99	Completed

Override Parameters

- 1) Rating Override: R Content Advisory: R
- 2) Spending Override: \$10.00
- 3) View Time Override: Unlimited
- 4) Channel List Override: Yes
- 5) Profile Override Applies: Child

Status Modifier Buttons:

Activate	Pause	Delete
----------	-------	--------


Store and Recall:

Save	Recall
------	--------

current sort options: ALL

current override mode: most restrictive


FIG. 2



Store Logic

Fig. 3

F-Room FIG. 3



Recall Logic

FIG. 4

650237 64432460